



State Veterinary Institute Olomouc

Department of Residues, Hulínská 2286, 767 60 Kroměříž, Czech Republic

Tel., fax: +420 573 343 644 e-mail: svukromeriz@svuol.cz www.svuolomouc.cz

Testing laboratory No.1144, accredited by CAI in accordance with ČSN EN ISO/IEC 17025

Page: 1 / 1

TEST REPORT No.: KM 376 / 2019

Client: Empower Company s.r.o. Pražská 298 250 01 Brandýs n. L.- Stará Boleslav
Samples taken by: Empower Company s.r.o.
Date of delivery: 22.2.2019
Date of completion: 4.3.2019
Expert: Alena Šimáková, MSc.

DESCRIPTION OF SAMPLE

Sample No.	Sampling date	Material
KM 376	20.2.2019	ES BIO Spirulina powder Batch: SP181025 Origin: China - Hainan Island

TEST RESULTS

Analyte	Unit	Result of Measurement	Uncertainty of Measurement	Technique of Measurement -Method identification
Cadmium	mg/kg	0,012	±20%	AAS-CZL 1/03
Lead	mg/kg	0,22	±12%	AAS-CZL 1/03
Mercury	mg/kg	0,0058	±20%	AAS-CZL 2/95

Statement:

The test results are only related to the tested items. Without written consent from the laboratory, the protocol may only be reproduced as a whole. Data in the protocol marked with an asterisk "*" is excluded from the accreditation framework. The stated expanded measurement uncertainty is the product of the standard measurement uncertainty and the coverage factor of $k=2$, corresponding to a coverage probability of 95% for a normal distribution. Sample collection uncertainty is not a part of the expanded measurement uncertainty as stated in the test protocol. Data in the protocol marked with "F" refers to the use of flexible accreditation. Data in the protocol marked with "+A" refers to a change made during an update of Guidelines.

Sample collection is not a subject of accreditation.



Bardoň Jan, DVM, PhD, MBA
Director of State Veterinary Institute

Šimáková Alena, MSc.
Head of Department of Residues

Receive: 1x Empower Company s.r.o., Pražská 298, 250 01 Brandýs n. L.- Stará Boleslav
1x archive

